



WORKMORE[®]
By GALISTA[®]

MANUFACTURED BY:-

KRISHNA POLYMERS

Plot No. 270, Block B, Mangolpuri Industrial Area, Phase 1, New Delhi 110083

Email: info@galista.in Website: www.galista.in


GALISTA[®]
SAFETY PRODUCTS



PLACE EVERY STEP AT

**WORK
WITH
SAFETY**



ABOUT US

Meet **GALISTA**, The Range Of Professional Gear From GALISTA SAFETY PRODUCTS. More Than Just A Shoe, **GALISTA SAFETY PRODUCTS** Ensures That Workforces Around The World Are Able To Function Confidently With It To Protect Them, To Absorb Shocks, To Withstand Pressures And To Keep Them Comfortable. We Have In Shoe Manufacturing, Finding Application Across Segments Ranging From The Construction Industry To The Oil Sector, **GALISTA SAFETY PRODUCTS** Also Includes Slick Footwear For Company Executives And Special Footwear For Healthcare Workers.

FEEL
SAFE
WITH
US



ANTIBACTERIAL




ANTI SLIP
SOLE



ELECTROSTATIC
DISSIPATIVE



ENERGY ABSORPTION
IN THE HEEL REGION



PLACE EVERY STEP AT
WORK WITH SAFETY



ARTICLE:

LION

SIZE: 5 to 12

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100 % SYNTHETIC LEATHER IN BARTON PRINT
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<div><div>➤</div>SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div> <div><div>➤</div>CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div> <div><div>➤</div>OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div>
SOLE TEMPRATURE RESISTANCE	MAX 120°C FOR 1 MINUTE EXPOSURE



FEATURES



OIL RESISTANT



ANTISLIP



TEMPERATURE

ARTICLE:

PANTHER

SIZE: 5 to 12

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100 % SYNTHETIC LEATHER IN BARTON PRINT
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<div><div>➤</div>SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div> <div><div>➤</div>CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div> <div><div>➤</div>OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div>
SOLE TEMPERATURE RESISTANCE	MAX 120°C FOR 1 MINUTE EXPOSURE



FEATURES



OIL RESISTANT



ANTISLIP



TEMPERATURE

PLACE EVERY STEP AT
WORK WITH SAFETY



ARTICLE:

TIGER

SIZE: 5 to 12

DISTINGUISHED FEATURES	HIGH ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100 % SYNTHETIC LEATHER IN BARTON PRINT
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<div><div>➤</div>SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div> <div><div>➤</div>CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div> <div><div>➤</div>OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div>
SOLE TEMPRATURE RESISTANCE	MAX 120°C FOR 1 MINUTE EXPOSURE



FEATURES



OIL RESISTANT



ANTISLIP



TEMPERATURE

ARTICLE:

JAGUAR

SIZE: 5 to 12

DISTINGUISHED FEATURES	HIGH ANKLE LIGHT WEIGHT
CERTIFICATION	CE CERTIFIED
UPPER FEATURES	100 % SYNTHETIC LEATHER IN BARTON PRINT
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	IMPORTED, POWDER COATED ALLOY TOE CAP WITH 140 JOULES IMPACT RESISTANT
SOLE FEATURES	<div><div>➤</div>SINGLE DENSITY PVC SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div> <div><div>➤</div>CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div> <div><div>➤</div>OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div>
SOLE TEMPERATURE RESISTANCE	MAX 120°C FOR 1 MINUTE EXPOSURE



FEATURES



OIL RESISTANT



ANTISLIP



TEMPERATURE

PLACE EVERY STEP AT
WORK WITH SAFETY

ARTICLE:

TRIDENT

SIZE: 6 to 11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT & DOUBLE DENSITY SOLE, SUPER SOFT INSOLE FOR EXTRA COMFORT
CERTIFICATION	ISO 20346:2014, ISO 20345:2011, CE
UPPER FEATURES	MADE FROM SYNTHETIC LEATHER IN ALBAMA PRINT. THICKNESS IS 1.8 MM-2.0 MM, BLACK COLOUR, COMFORTABLE & SOFT TOUCH.
TOE CAP	STEEL TOE CAP (140 J EN-12568:2010) MARKED. IT IS MADE FROM HI-CARBON STEEL & HEATED, POWDER COATED FOR PERMANENT STRENGTH & ANTI CORROSIVE PROPERTIES.
SOLE FEATURES	MADE UP OF FULLY MOULDED DIRECT INJECTED POLY VINYL CHLORIDE (PVC), HAVING ANTISLIP (SRC), ANTI ABRASIVE & RESISTANCE TO MILD ACID, ALKALIES, FUEL OIL AND NAIL PENETRATION.

SOLE TEMPRATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



SUPER SOFT
INSOLE



FEATURES

OPTIONAL FEATURES

TOE CAP OPTIONS

ARTICLE:

TRIDENT

SIZE: 6 to 11

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT & DOUBLE DENSITY SOLE, SUPER SOFT INSOLE FOR EXTRA COMFORT
CERTIFICATION	ISO 20346:2014, ISO 20345:2011, CE
UPPER FEATURES	MADE FROM SYNTHETIC LEATHER IN ALBAMA PRINT. THICKNESS IS 1.8 MM-2.0 MM, BLACK COLOUR, COMFORTABLE & SOFT TOUCH.
TOE CAP	STEEL TOE CAP (140 J EN-12568:2010) MARKED. IT IS MADE FROM HI-CARBON STEEL & HEATED, POWDER COATED FOR PERMANENT STRENGTH & ANTI CORROSIVE PROPERTIES.
SOLE FEATURES	MADE UP OF FULLY MOULDED DIRECT INJECTED POLY VINYL CHLORIDE (PVC), HAVING ANTISLIP (SRC), ANTI ABRASIVE & RESISTANCE TO MILD ACID, ALKALIES, FUEL OIL AND NAIL PENETRATION.

SOLE TEMPRATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



SUPER SOFT
INSOLE



FEATURES

OPTIONAL FEATURES

TOE CAP OPTIONS

PLACE EVERY STEP AT
WORK WITH SAFETY

ARTICLE:

THUNDER

SIZE: 6 to 11

DISTINGUISHED FEATURES	HIGH ANKLE LIGHT WEIGHT & DOUBLE DENSITY SOLE, SUPER SOFT INSOLE FOR EXTRA COMFORT
CERTIFICATION	ISO 20346:2014, ISO 20345:2011, CE
UPPER FEATURES	MADE FROM SYNTHETIC LEATHER IN ALBAMA PRINT. THICKNESS IS 1.8 MM-2.0 MM, BLACK COLOUR, COMFORTABLE & SOFT TOUCH.
TOE CAP	STEEL TOE CAP (140 J EN-12568:2010) MARKED. IT IS MADE FROM HI-CARBON STEEL & HEATED, POWDER COATED FOR PERMANENT STRENGTH & ANTI CORROSIVE PROPERTIES.
SOLE FEATURES	MADE UP OF FULLY MOULDED DIRECT INJECTED POLY VINYL CHLORIDE (PVC), HAVING ANTISLIP (SRC), ANTI ABRASIVE & RESISTANCE TO MILD ACID, ALKALIES, FUEL OIL AND NAIL PENETRATION.

SOLE TEMPRATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



SUPER SOFT
INSOLE



FEATURES

OPTIONAL FEATURES

TOE CAP OPTIONS

ARTICLE:

THUNDER

SIZE: 6 to 11

DISTINGUISHED FEATURES	HIGH ANKLE LIGHT WEIGHT & DOUBLE DENSITY SOLE, SUPER SOFT INSOLE FOR EXTRA COMFORT
CERTIFICATION	ISO 20346:2014, ISO 20345:2011, CE
UPPER FEATURES	MADE FROM SYNTHETIC LEATHER IN ALBAMA PRINT. THICKNESS IS 1.8 MM-2.0 MM, BLACK COLOUR, COMFORTABLE & SOFT TOUCH.
TOE CAP	STEEL TOE CAP (140 J EN-12568:2010) MARKED. IT IS MADE FROM HI-CARBON STEEL & HEATED, POWDER COATED FOR PERMANENT STRENGTH & ANTI CORROSIVE PROPERTIES.
SOLE FEATURES	MADE UP OF FULLY MOULDED DIRECT INJECTED POLY VINYL CHLORIDE (PVC), HAVING ANTISLIP (SRC), ANTI ABRASIVE & RESISTANCE TO MILD ACID, ALKALIES, FUEL OIL AND NAIL PENETRATION.

SOLE TEMPRATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



SUPER SOFT
INSOLE



FEATURES

OPTIONAL FEATURES

TOE CAP OPTIONS

PLACE EVERY STEP AT
WORK WITH SAFETY



ARTICLE:

ROCKSTRONG

SIZE: 5 to 12

DISTINGUISHED FEATURES	MID ANKLE LIGHT WEIGHT
CERTIFICATION	EN ISO 20345: 2011, CE
UPPER FEATURES	100% GENUINE LEATHER IN BARTON PRINT
VAMP FEATURES	HIGHLY ABRASION RESISTANT FABRIC LINING
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	EN CERTIFIED, IMPORTED, POWDER COATED ALLOY STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANT
SOLE FEATURES	<div><div>>PU SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div><div>>CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div><div>>OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div></div>

SOLE TEMPRATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



FEATURES

STEEL TOECAP

OIL RESISTANT

ANTISLIP

TEMPERATURE

OPTIONAL FEATURES

ELECTRICAL INSULATING

ANTISTATIC

ANTI PENETRATION

ESD

TOE CAP OPTIONS

ALLUMINIUM

COMPOSITE

FIBRE GLASS

ARTICLE:

BULLET

SIZE: 5 to 12

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	IS 15298 (PT.2):2016, En ISO 20345:2011, CE
UPPER FEATURES	100% GENUINE LEATHER IN BARTON PRINT
VAMP FEATURES	HIGHLY ABRASION RESISTANT FABRIC LINING
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	EN CERTIFIED, IMPORTED, POWDER COATED ALLOY STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANT
SOLE FEATURES	<div><div>>PU SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div><div>>CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div><div>>OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div></div>

SOLE TEMPRATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



FEATURES

STEEL TOECAP

OIL RESISTANT

ANTISLIP

TEMPERATURE

OPTIONAL FEATURES

ELECTRICAL INSULATING

ANTISTATIC

ANTI PENETRATION

ESD

TOE CAP OPTIONS

ALLUMINIUM

COMPOSITE

FIBRE GLASS

PLACE EVERY STEP AT
WORK WITH SAFETY



ARTICLE:

FORCE

SIZE: 5 to 12

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	IS 15298 (PT.2):2016, En ISO 20345:2011, CE
UPPER FEATURES	100% GENUINE LEATHER IN BARTON PRINT
VAMP FEATURES	HIGHLY ABRASION RESISTANT FABRIC LINING
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	EN CERTIFIED, IMPORTED, POWDER COATED ALLOY STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANT
SOLE FEATURES	<div><div>>PU SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div><div>>CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div><div>>OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div></div>

SOLE TEMPRATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



FEATURES

STEEL TOECAP

OIL RESISTANT

ANTISLIP

TEMPERATURE

OPTIONAL FEATURES

ELECTRICAL INSULATING

ANTISTATIC

ANTI PENETRATION

ESD

TOE CAP OPTIONS

ALLUMINIUM

COMPOSITE

FIBRE GLASS

ARTICLE:

APOLLO

SIZE: 5 to 12

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	IS 15298 (PT.2):2016, En ISO 20345:2011, CE
UPPER FEATURES	100% GENUINE LEATHER IN ALBAMA PRINT
VAMP FEATURES	HIGHLY ABRASION RESISTANT FABRIC LINING
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	EN CERTIFIED, IMPORTED, POWDER COATED ALLOY STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANT
SOLE FEATURES	<div><div>>PU SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div><div>>CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div><div>>OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div></div>

SOLE TEMPRATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



FEATURES

STEEL TOECAP

OIL RESISTANT

ANTISLIP

TEMPERATURE

OPTIONAL FEATURES

ELECTRICAL INSULATING

ANTISTATIC

ANTI PENETRATION

ESD

TOE CAP OPTIONS

ALLUMINIUM

COMPOSITE

FIBRE GLASS

PLACE EVERY STEP AT
WORK WITH SAFETY



ARTICLE:

APOLLO

SIZE: 5 to 12

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT, IN TAN COLOUR
CERTIFICATION	IS 15298 (PT.2):2016, En ISO 20345:2011, CE
UPPER FEATURES	100% GENUINE LEATHER IN ALBAMA PRINT
VAMP FEATURES	HIGHLY ABRASION RESISTANT FABRIC LINING
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	EN CERTIFIED, IMPORTED, POWDER COATED ALLOY STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANT
SOLE FEATURES	<div>➤PU SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div> <div>➤CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div> <div>➤OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div>

SOLE TEMPRATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



ARTICLE:

NEPTUNE

SIZE: 5 to 12

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	IS 15298 (PT.2):2016, En ISO 20345:2011, CE
UPPER FEATURES	100% GENUINE LEATHER IN ALBAMA PRINT
VAMP FEATURES	HIGHLY ABRASION RESISTANT FABRIC LINING
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	EN CERTIFIED, IMPORTED, POWDER COATED ALLOY STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANT
SOLE FEATURES	<div>➤PU SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div> <div>➤CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div> <div>➤OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div>

SOLE TEMPERATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



PLACE EVERY STEP AT
WORK WITH SAFETY



ARTICLE:

LEOPARD

SIZE: 5 to 12

DISTINGUISHED FEATURES	HIGH ANKLE LIGHT WEIGHT
CERTIFICATION	IS 15298 (PT.2):2016, En ISO 20345:2011, CE
UPPER FEATURES	100% GENUINE LEATHER IN ALBAMA PRINT
VAMP FEATURES	HIGHLY ABRASION RESISTANT FABRIC LINING
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	EN CERTIFIED, IMPORTED, POWDER COATED ALLOY STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANT
SOLE FEATURES	<div>➤PU SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div> <div>➤CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div> <div>➤OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div>

SOLE TEMPRATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



ARTICLE:

MARVEL

SIZE: 5 to 12

DISTINGUISHED FEATURES	LOW ANKLE LIGHT WEIGHT
CERTIFICATION	IS 15298 (PT.2):2016, En ISO 20345:2011, CE
UPPER FEATURES	100% GENUINE SUEDE LEATHER
VAMP FEATURES	HIGHLY ABRASION RESISTANT FABRIC LINING
QUARTER FEATURES	SOFT, BREATHABLE AND ABSORBENT MESH LINING WITH ANTI-MICROBIAL TREATMENT
TOE CAP	EN CERTIFIED, IMPORTED, POWDER COATED ALLOY STEEL TOE CAP WITH 200 JOULES IMPACT RESISTANT
SOLE FEATURES	<div>➤PU SOLE FOR ENHANCED COMFORT, DURABILITY& SAFETY</div> <div>➤CLEATED OUT SOLE WITH WIDE CLEATS FOR HIGHER GRIP AND SELF CLEANING EFFECT</div> <div>➤OIL/ ACID RESISTANT, ANTI SLIP AND SHOCK ABSORBING PROPERTIES</div>

SOLE TEMPERATURE RESISTANCE MAX 120°C FOR 1 MINUTE EXPOSURE



★★★★★
WITHOUT STEEL TOE



ARTICLE: **JERRY**

SIZE : 35-40 (4-9)
WEIGHT : 860gm | LENGTH : 12 Inch

★★★★★
WITHOUT STEEL TOE



Full Black

ARTICLE: **VIRAAT** | SIZE : 6-10
WEIGHT : 1200gm
LENGTH : 11 Inch

★★★★★
WITHOUT STEEL TOE



White

Gold

Blue

ARTICLE: **KARAMVEER** | SIZE : 6-10
WEIGHT : 1100gm
LENGTH : 11 Inch

★★★★★
WITHOUT STEEL TOE



ARTICLE: **ARMY**

SIZE : 6-10
WEIGHT : 1100gm | LENGTH : 11 Inch

★★★★★
WITHOUT STEEL TOE



Gold

Blue

White

ARTICLE: **PILOT**

SIZE : (4-9)
WEIGHT : 1200gm | LENGTH : 13 Inch



★★★★★
WITHOUT STEEL TOE



ARTICLE:
MILITARY

SIZE : 4-9
WEIGHT : 1200gm
LENGTH : 13 Inch

★★★★★
WITHOUT STEEL TOE



ARTICLE:
MOUNTWALK

SIZE : 6-10
WEIGHT : 1600gm
LENGTH: 15 Inch

★★★★★
WITHOUT STEEL TOE



Black/Red

Black/Yellow

ARTICLE: **MAGNUM**

SIZE : 6-10
WEIGHT : 1700gm
LENGTH : 15 Inch



★★★★★
WITH OPTIONAL
EN STEEL TOE CAP

13 Inch



Black/Red

ARTICLE:
THAR

SIZE : 6-11
WEIGHT : 1850gm

★★★★★
WITH OPTIONAL
EN STEEL TOE CAP

15 Inch



Black/Yellow

ARTICLE:
LEXUS

Size : 6-11
Weight : 1850gm

★★★★★
WITH OPTIONAL
STEEL TOE



ARTICLE:
**BUTTON
BOOT**

SIZE : 6-10
WEIGHT : 1100gm

★★★★★
WITH OPTIONAL
STEEL TOE



ARTICLE:
**COLLAR
BOOT**

SIZE : 6-10
WEIGHT : 1600gm